

Full Spectrum  
**Sanctuary  
Outdoor 2** by Clearlight®



**Features**

**Therapeutic Far Infrared Heaters**

Clearlight's exclusive True Wave® Far Infrared heaters are the only patented low EMF full spectrum heaters on the market. True Wave combination carbon/ceramic low EMF / low ELF heaters surround you in healing infrared heat.

**True Wave® Full Spectrum Heaters**

Our full spectrum near, mid and far infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

**Doctor Designed Ergonomic Bench**

Relax in comfort in your sauna with our reversible bench.

**Built For The Outdoors**

Cedartec® exterior finish for durable outdoor use, a non VOC wood effect flooring for easy cleaning, and Mahogany interior for that true sauna feel.

**Charging & Audio Station**

Charge your smart device inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

**Built-in Ergonomic Backrest**

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

**Combination Door Handle/Tablet Cradle For Easy Media Viewing**

Place your tablet on the door handle for easy viewing of your favorite shows or movies.



**Enhanced Audio Sound System**

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



**Digital Keypad Controls**

Digital keypad controls temperature, time, lights, heater intensity and reservation mode.



**Chromotherapy**




Your Sanctuary sauna comes upgraded with our therapeutic Chromotherapy. Choose from one of twelve colors or auto-cycle through all color tones.




**Smart Device Control (Optional)**

Log in from your smart device and remotely operate your sauna.

Full Spectrum  
Sanctuary  
Outdoor 2 by Clearlight®



Power cord is located on the back of the sauna, six inches off the ground and is approximately six feet long.



240V / 15amp Electrical Circuit Required  
NEMA 6-15p

Specifications

Construction

Gray Cedartec® Eco-Certified Exterior  
Mahogany Interior  
Tongue & Groove Construction  
Weight: 765 lbs  
Rated: IPX 4

Exterior

Width: 57" \*  
Depth: 52" \*  
Height: 80"  
\* Roof Cap: 74" x 69"  
Roof Overhang: 8 1/2"  
Door: 63 1/4" X 23 3/4"

Interior

Width: 51"  
Depth: 46"  
Height: 71 1/2"  
Bench: 50" x 22"

Heaters

True Wave™ Far Infrared and  
Full Spectrum Infrared Heaters  
Power: 240V / 2,480W / 15A

Limited Lifetime Warranty on Components  
5 Years on the Cabin  
5 Years Commercial Warranty

Heaters: Lifetime  
Electrical Controls: Lifetime  
Cabinetry & Glass: 5 Years



Attention: Concrete or wooden foundation is needed as a base when placed outside. Make sure largest panel can fit through all access points from location entrance to sauna set up location

Full Spectrum

Sanctuary

Outdoor 2 by Clearlight®

Individual panel sizes laying flat in inches

Panel	Length	Width	Height
Roof	51 ½	56 ¾	3 ½
Floor	49	54 ¼	3 ¼
Left Side	71 ¼	46 ½	4
Right Side	71 ½	46 ½	4
Back Wall	71 ½	56 ½	5
Front Wall	71 ½	56 ½	3
Overhang	68 ¼	73	3 ¾

Electrical Wire Requirements:

15 amp saunas are 14 AWG  
Single phase / 3 wire: 2 x live/ground - for 240v



Attention: Make sure sauna is assembled on a level surface. Not recommended for use where temperatures are regularly 40° F or below.

Additional Information

Installation and Clearance Requirements

Your sauna is designed as a standalone unit and must remain fully accessible on all sides and the roof. **At least 4 inches (10 cm) minimum clearance** on each side of the sauna is required for installation and proper ventilation. **Adequate clearance above the sauna roof** is necessary to allow for installation, troubleshooting, and maintenance access as key components are located in the roof of the sauna. Please ensure sufficient space to safely access the roof when needed.

Weather Precautions

1ft Snow limit, Wind Rating 35 MPH

Bench Weight Limit

350 lbs per person

Add On

- Can't have both upgrade heater and Red Light simultaneously.

Cover Included

- Includes an outdoor sauna cover for weather protection.

Surface Requirements

It is necessary to place sauna on a raised platform to ensure no water pools under it.

Additional Build Information

Roof Information

- Roof cap is 4" deep (top to bottom). The slope inside the roof is 15mm. The overhang at the back is 9"
- Height of the unit without the roof cap is 77 ¼" tall
- Top of roof is a silver color reflective roofing material
- From the floor to the bottom of the glass door is 6 ¼"

Side Windows

16 ½" X 64 ½"

Wall Thickness

2 ½"

Insulation Thickness

1 ½"

Bench Specifications

Fixed Bench Height: 20"